# INDEX TO VOLUME 35

[New names in boldface type]


Activity:
  Citellus, 545
  Grampus, 123
  Mesocricetus, 545
  Microtus, 259
  Nasua, 48
  Pizonyx, 81
  Sorex, 109
Adams, Paul:
  (See Buckley, John L., et al.)
adocetus, Citellus, 357
Africa, 130
Age criteria, Castor, 197
Age determination:
  Mustela, 496
  Sorex, 35
agrestis, Microtus, 161
Alabama, 592
Alaska, 122, 203, 259, 376, 438, 456, 586
Alberta, 105
albigula, Neotoma, 239
Albinism:
  Sylvilagus, 429
  Tamias, 585
Alces americana americana, Arctic, hab., 105
alfaroi, Oryzomys, 258
Algal growth, Halichoerus, 595
Allen, Durward L.:
  Our wildlife legacy (Reviewed), 462
alleni, Neotoma, 77
Alopex lagopus, Arctic, hab., 105
Alouatta guariba clamitans, Argentina, hab., 117
  palliata mexicana, Mexico, par., 101
alstoni, Neotomodon, 76
alticola, Sigmodon, 76
Altitude effect, Peromyscus, 553
American Society of Mammalogists:
  Thirty-fourth annual meeting, 619
  List of members, 284
americana, Alces, 105
  Antilocapra, 533
americanus, Lepus, 122, 458, 578
  Ursus, 28, 345, 577, 578
amoenus, Eutamias, 105
angustifrons, Spilogale, 71
angustirostris, Mirounga, 129, 211
Antelope, 533
Antilocapra americana, phys., 533
Antlers:
  Capreolus, 486
  Odocoileus, 486, 599
Antrozous pallidus, Calif., hab., 539; Colo., tax., distr., 111
apella, Cebus, 415
  Simia, 415
Apheliscus, Colo., foss., distr., 581
Apodemus sylvaticus sylvaticus, England, hab., wt., 161
aquaticus, Scalopus, 186
araneus, Sorex, 161
Arctic, 104, 105
arcticus, Rangifer, 104
arctos, Ursus, 347
Argentina, 117
Arizona, 48
Arkansas, 430, 584
Armadillo, nine-banded, 78
armatus, Citellus, 357
Artibeus aztecus, Mexico, 69
  cinereus toltecus, Mexico, 114
  hirsutus, Mexico, distr., anat., hab., 69
  jamaicensis, Mexico, distr., 584
  jamaicensis jamaicensis, Mexico, 69, 114
  jamaicensis yucatanicus, Mexico, wt., 101
  lituratus palmarum, Mexico, wt., hab., 101; Mexico, 114
  planirostris planirostris, Mexico, distr., anat., tax., hab., 68
  toltecus toltecus, Mexico, 69
astutus, Bassariscus, 55, 70, 406, 442, 577, 578
Ateles geoffroyi vellerosus, Mexico, distr., par., 101
Attrition of teeth:
  Enhydra, 595
  Mustela, 496
audubonii, Sylvilagus, 46
auratus, Mesocricetus, 545
aureogaster, Sciurus, 101
aztecus, Artibeus, 69

bachmani, Sylvilagus, 392
Baculum:

Castor, 197
Funambulus, 471
Mustela, 496
Ratufa, 471
Bahamas, 126
Baiomys musculus pallidus, Mexico, hab., gen., 75
Bait for:
Blarina, 40
Citellus, 40
Cryptotis, 40
Didelphis, 40
Dipodomys, 42
Microtus, 45
Neotoma, 46
Sylvilagus, 46
Baker, Rollin H.:
(See Stains, Howard J. and Baker)
Balantiopteryx ochoterenae, comp., 66
plicata plicata, Mexico, tax., wt., 66
Banfield, A. W. F.:
The role of ice in the distribution of mammals, 104
barbara, Eira, 102
barbatus, Erignathus, 218
Barbehenn, Kile R.:
Handling small mammals, 429
Bartholomew, George A., Jr.:
Body temperature and respiratory and heart rates in the northern elephant seal, 211
Bartholomew, George A., Jr. and Grant Reynolds Cary:
Locomotion in pocket mice, 386
Bassariscus astutus, Colo., hab., distr., 442; Nev., distr., 577, 578; Tex., distr., hab., anat., 55; Tex., hab., 406
astutus astutus, Mexico, 70
Bassarisk, 442
Bat, 147
big brown, 69, 434
cave, 69
cinnamon, 67
eastern big-eared, 430
eastern Pipistrelle, 433, 434
fish-eating, 81
free-tailed, 70
freetail, 435
fruit, 69
hairy fruit, 69
hairy-legged vampire, 584
hoary, 116, 253, 429, 430, 431
hognose, 436, 437
Jamaica fruit, 101
Keen, 434
leaf-lipped, 67
leaf-nosed, 67, 68, 584
little big-eared, 67
little black, 101
little brown, 111, 432, 434
long-legged Myotis, 434
long-tongued, 67
mahogany, 584
mastiff, 70
Mexican free-tailed, 70
naked-backed, 67, 100
pallid, 111
red, 578
sac-winged, 66, 100
Seminole, 584
short-tailed, 101
spotted, 117
Trinidad fruit, 101
vampire, 69, 101
white-lined, 100
Bear:
Alaskan brown, 438
barren-ground grizzly, 345
black, 28, 345, 577, 578
Japanese black, 128
Beaver, 197, 452, 578
Becker, Kurt:
Pregnancy rates in two different samples of brown rats, 119
Bee, James W.:
(See Hall, E. Raymond and Bee)
beecheyi, Citellus, 40
Beer, James R.:
A record of the hoary bat from a cave, 116
Behavior:
Choeronycteris, 436
Peromyscus, 23
Ursus, 128
Beidleman, Richard G.:
October breeding of Peromyscus in North Central Colorado, 118
beldingi, Citellus, 587
Benson, Seth B.:
Records of the spotted bat (Euderma maculata) from California and Utah, 117
Benton, Allen H.:
(See Layne, James N. and Benton)
Berg, Elihu D.:
(See Peterson, Liven A. and Berg)
bilineata, Saccopteryx, 100
Bison, 454

Bison bison, Canada, anat., phys., 454; Wyo., 453
Blair, W. Frank:
A melanistic race of the white-throated packrat (Neotoma albigula) in Texas, 239
Blarina, phys., 425
brevicauda, La., hab., phys., 40
brevicauda carolinensis, Colo., distr., 110
brevicauda talpoides, N. Y., hab., 103
Bobcat, 429, 458
Booloot ian, Richard A.:
An analysis of subspecific variations in Dipodomys nitratoides, 570
borealis, Lasiurus, 578, 584
Bourlière, François:
The natural history of mammals (Reviewed), 603
boylei, Peromyscus, 75, 515
Breeding cycle:
Oryzomys, 263
Peromyscus, 118
Breeding habits:
Bassariscus, 56
Peromyscus, 526
Breeding season:
Didelphis, 66
Lepus, 122
Liomys, 73
Peromyscus, 75
Phenacomys, 450
Sylvilagus, 392
brevicauda, Blarina, 40, 103, 110
breweri, Parascalops, 107
Broadbooks, Harold E.:
A new subspecies of the pocket mouse (Perognathus parvus) from Washington, 95
Brown, L. E.:
Small mammal populations at Silwood Park Field Centre, Berkshire, England, 161
Buckley, John L., David L. Spencer and Paul Adams:
Muskox (Ovibos moschatus) longevity, 456
Bue, Gerald T.:
(See Erickson, Arnold B. and Bue)
Buffalo, 453
Burrow:
Cratogeomys, 121
Perognathus, 453
Burt, William H.:
(Review of) Allen, Durward L., Our wildlife legacy, 462
(Review of) Odum, Eugene P., Fundamentals of ecology, 462
Butterfield, Robert T.:
Traps, live trapping, and marking of raccoons, 440

Cache: Tamiasciurus, 252
caeca, Talpa, 583
Cages for:
Citellus, 445, 545
Mesocricetus, 545
Cahalane, Victor H.:
Status of the black-footed ferret, 418
California, 42, 46, 55, 117, 258, 392, 431, 435, 436, 515, 539, 570, 592, 594, 596
californianus, Zalophus, 596
californicus, Macrotus, 539
Myotis, 539
Perognathus, 386
Callorhinus ursinus, Calif., dis., distr., 258; Yukon, wt., distr., hab., 444
callotis, Lepus, 77
Caluromys derbianus aztecus, Mexico, hab., 100
calurus, Dipodillus, 243
Gerbillus, 243
Meriones, 243
campestris, Gerbillus, 243
Canada, 345, 454, 595
canadensis, Castor, 197, 578, 452
Cervus, 578
Lutra, 443, 125
Lynx, 129
Canis latrans, Ky., anat., distr., tax., 256
lupus, Arctic, hab., 105
Cannibalism:
Citellus, 445
Lynx, 129
Sorex, 109
Capreolus capreolus, anat., 486
Captivity:
Bassariscus, 57
Citellus, 445
Ochotona, 450
Peromyscus, 23, 260
Sorex, 109
capucina, Simia, 415
capucinus, Cebus, 415
Caribou:
barren ground, 104
Peary's, 104
carolinensis, Sciurus, 103, 357

Carollia perspicillata azteca, Mexico, wt., hab., 101
Carrying young by Peromyscus, 25
Cary, Grant Reynolds:
(See Bartholomew, George A., Jr. and Cary)
castanops, Cratogeomys, 121
Castor canadensis, Nev., distr., 578; N. Y., anat., 197; N. Y., wt., anat., 452; Vt., wt., 452
Cat, ring-tailed, 577, 578
Cebus apella, Colombia, syn., hab., tax., 415
capucinus, Colombia, syn., tax., 415
Centurio senex, Mexico, 114
Cervus canadensis nelsoni, Nev., distr., 578
Chamberlain, J. L.:
The Block Island meadow mouse, Microtus provectus, 587
Cheek pouches:
Cricetidae, 425
Geomyidae, 425
Heteromyidae, 425
Muridae, 425
Peromyscus, 21
Sciuridae, 425
Chiasson, Robert B.:
Occurrence of Zalophus californianus in the Gulf of California, 596
The phylogenetic significance of rodent cheek pouches, 425
Chickaree, 87
Chile, 126
Chilonycteridae, anat., 147
Chilonycteris personata, Mexico, hab., 67
rubiginosa, Mexico, distr., 584
rubignosa mexicana, Mexico, hab., 67
Chipmunk, 105, 357, 585
grey eastern, 429
Chiroptera (as food), 60
Choeronycteris mexicana, Calif., Mexico, distr., hab., 436; Mexico, hab., 68, anat., phys., 437
chrysopsis, Reithrodontomys, 74
cinereoargenteus, Urocyon, 71, 406
cinereus, Artibeus, 114
Lasiurus, 116, 253, 429, 430, 431
Sorex, 35, 109
Citellus (as food), 59
adocetus, N. A., anat., 357
armatus, N. A., anat., 357
beecheyi, phys., 40
beldingi crebrus, Idaho, distr., 587
columbianus, N. A., anat., 357
franklini, N. A., anat., 357
lateralis, N. A., anat., 357
leucurus, N. A., anat., 357
mexicanus, N. A., anat., 357
parryii parryii, hab., 445
richardsoni, N. A., anat., 357
tereticaudus, N. A., anat., 357
tridecemlineatus, hab., 545; Mich., hab., 105
tridecemlineatus tridecemlineatus, N. A., anat., 357
undulatus, Alaska, hab., 586
variegatus, N. A., anat., 357
variegatus variegatus, Mexico, wt., distr., hab., 71
Clethrionomys gapperi gapperi, N. Y., hab., 103, distr., 579
glareolus brittanicus, England, wt., hab., 161
rutilus dawsoni, Alaska, phys., wt., 376
Coat color:
Baiomys, 75
Dipodomys, 570
Felis, 126
Perognathus, 95
Peromyscus, 74
Sciurus, 72
Tamiasciurus, 90
Coati, 48, 70, 102
Cockrum, E. Lendell:
Non-geographic variation in cranial measurements of wild-taken Peromyscus leucopus noveboracensis, 367
Cole, James E.:
Buffalo (Bison bison) killed by fire, 453
Collecting methods:
Ochotona, 450
Peromyscus, 26
Colonies, Ochotona, 450
Colorado, 110, 111, 118, 269, 418, 442, 447, 450, 581
Color phase, Neotoma, 239
Color variation:
Condylura, 187
Myotis, 111
Parascalops, 186
Scalopus, 186
Scapanus, 195
Ursus, 345
Coloration, Nasua, 52
Colombia, 415
columbianus, Citellus, 357
Conaway, Clinton H.:

The reproductive cycle of rice rats (Oryzomys palustris palustris) in captivity, 263
concolor, Felis, 71, 126, 255
Condylura, anat., pelage, 186
Conepatus mesoleucus mesoleucus, Mexico, hab., 71
Connecticut, 458, 459
Connell, Joseph H.:
Home range and mobility of brush rabbits in California chaparral, 392
Cook, Arthur H.:
Some measurements from a three and one-half year old beaver (Castor canadensis), 452
Cook, Edwin F.:
A technique for preventing post-mortem ectoparasite contamination, 266
Cook, S. F. and J. P. Hannon:
Metabolic differences between three strains of Peromyscus maniculatus, 553
Cooley, R.:
Second record of the hoary bat in Florida, 116
Corpora lutea, Oryzomys, 263
Corynorhinus macrotis, Ohio, distr., hab., 430
rafinesquii, Calif., hab., 539
Cottontail;
Audubon, 46
Florida, 46
Mexican, 78
Couch, Leo K.:
(See Johnson, Murray L. and Couch)
couesi, Oryzomys, 76
Cougar, 255
Cover for:
Cryptotis, 179
Peromyscus, 179
Reithrodontomys, 179
Sigmodon, 179
Coyote, 256
coypus, Myocaster, 578
Cranial characters:
Castor, 197
Dasypus, 78
Gerbillus, 243
Glossophaga, 68
Mustela, 496
Oryzomys, 76
Perognathus, 95
Sigmodon, 76
Tamiasciruus, 90
Cranial measurements:
Canis, 256
Castor, 452
Dipodomys, 570
Felis, 126
Lutra, 125
Microtus, 587
Mirounga, 129
Mustela, 496
Odobenus, 203
Onychomys, 118
Peromyscus, 75, 367, 561
Sigmodon, 260
Sorex, 36
Ursus, 438
crassus, Meriones, 243
Cratogeomys (as food), 111
castanops subsimus, Mexico, hab., 121
merriami merriami, Mexico, wt., distr., 72
crawfordi, Notiosorex, 110
Crespo, Jorge A.:
Presence of the reddish howling monkey (Alouatta guariba clamitans Cabrera) in Argentina, 117
Cricetidae, anat., tax., 425
cristata, Cystophora, 105, 258
Cryptotis parva, La., 40; Tenn., hab., 177
parva parva, Colo., distr., 110; Md., hab., 252
cunicularius, Sylvilagus, 78
Cuniculus paca nelsoni, Mexico, 102
Cynodontomys, Colo., foss., distr., 581
Cynomys (as food), 111
leucurus, N. A., anat., 357
ludovicianus, N. A., anat., 357
Cystophora cristata, Labrador, hab., 105; N. C., distr., 258

Dalquest, Walter W. and Henry J. Werner:
Histological aspects of the faces of North American bats, 147
Damage by, Nasua, 48
Dasypus novemcinctus mexicanus, Mexico, tax., anat., hab., 78
dasyurus, Gerbillus, 243
Davis, W. B. and R. J. Russell:
Mammals of the Mexican State of Morelos, 63
davyi, Pteronotus, 67, 100
Dearden, Lyle C.:
Extra premolars in the river otter, 125
Deer:
blacktail, 486
European roe, 486

mule, 457, 599
whitetail, 129
white-tailed, 78, 269, 456, 599
Defense, Peromyscus, 24
Deformity, Ursus, 438
De Meules, Donald H.:
Possible anti-adrenalin action of shrew venom, 425
Den:
Bassariscus, 57
Ursus, 28
Dentition:
Artibeus, 68
Bison, 454
Castor, 197
Choeronycteris, 437
Gerbillus, 243
Glossophaga, 67
Leptonycteris, 68
Lutra, 125
Mirounga, 129
Molossus, 70
Natalidae, 159
Neotoma, 77
Oryzomys, 76
Ovibos, 456
Phyllostomidae, 159
Procyon, 126
Reithrodontomys, 74
Sorex, 35
Synaptomys, 249
Tadarida, 70
Tamiasciurus, 87
Vespertilionidae, 159
Denyes, H. Arliss:
Habitat restriction and the digging ability of certain pocket mice, 453
deppei, Sciurus, 101, 357
derbianus, Caluromys, 100
desmerestianus, Heteromys, 101
Desmodontidae, anat., 147
Desmodus rotundus, Mexico, distr., 584
rotundus murinus, Mexico, distr., 69, wt., hab., 101, 114
Development, Sorex, 109
de Vos, Antoon:
(Review of) Eadie, W. Robert, Animal control in field, farm and forest, 604
(Review of) Sierts-Roth, U., Geburts- und Aufzuchtgewichte von Rossenunden, 272
Dexter, Ralph W.:
Distribution of the meadow jumping mouse, Zapus hudsonius in Ohio, 233
Notes on nests of the meadow jumping mouse, Zapus hudsonius, 121
diazi, Romerolagus, 78
Dice, Lee R.:
Breeding of Peromyscus floridanus in captivity, 260
Dicrostonyx, Arctic, hab., 105
rubricatus rubricatus, Alaska, phys., wt., 376
Didelphis marsupialis, Kan., hab., phys., 39; Mexico, distr., 100; Tex., hab., 406
marsupialis californica, Mexico, hab., tax., 66
marsupialis virginiana, Pa., hab., 581
virginiana, Ont., hab., 105
virginiana virginiana, N. Y., hab., 103
difficilis, Peromyscus, 75
Digging by Perognathus, 453
Diphylla ecaudata, Mexico, distr., 584
ecaudata centralis, Mexico, 114
Dipodillus calurus, syn., 243
Dipodomys (as food), 111
heermanni, Calif., 42
heermanni tularensis, Calif., hab., 515
merriami, Ariz., syn., 570
merriami brevinasus, syn., 570
merriami exilis, syn., 570
merriami nitratoides, syn., 570
merriami nitratus, syn., 570
nitratoides brevinasus, Calif., anat., hab., tax., 570
nitratoides exilis, Calif., anat., hab., tax., 570
nitratoides nitratoides, Calif., anat., hab., tax., 570
dispar, Sorex, 583
Distribution:
Alouatta, 117
Antrozous, 111
Apheliscus, 581
Artibeus, 68, 584
Balantiopteryx, 66
Bassariscus, 442
Blarina, 110
Callorhinus, 258, 444
Canis, 256
Chilonycteris, 67, 584
Citellus, 71
Corynorhinus, 430
Cratogeomys, 72
Cryptotis, 110
Cynodontomys, 581
Cystophora, 258
Desmodus, 69, 584

Didelphis, 66
Diphylla, 584
Eschrichtius, 444
Euderma, 117
Eutamias, 105
Glaucomys, 429
Glossophaga, 584
Grampus, 123
Gulo, 254, 594
Hyopsodus, 581
Lasiurus, 116, 429, 430, 431
Leptonycteris, 68
Lutra, 443
Lynx, 429
Macrotus, 67
Microtus, 259
Mustela, 418, 430, 443, 593, 594
Nasua, 48
Natalus, 584
Neotoma, 77
Neotomodon, 76
Notiosorex, 110
Nyctitherium, 581
Odocoileus, 269
Oryzomys, 258
Peradectes, 581
Peratherium, 581
Perognathus, 95
Phenacolemur, 581
Phenacomys, 260
Phoca, 258
Pizonyx, 81
Pteronotus, 67
Rattus, 521
Reithrodontomys, 430
Sciurus, 72
Sigmodon, 260
Sorex, 66, 430
Tadarida, 435
Talpa, 583
Tamias, 429
Tetonius, 581
Ursus, 345
Wasatchia, 581
Zalophus, 596
Zapus, 233
Diurnal habits, Mirounga, 211
Dormancy, Ursus, 28
Doutt, J. Kenneth:
The swimming of the opossum Didelphis marsupialis virginiana, 581
Dow, Robert L.:
Walrus skull (Odobenus) from Bluehill Bay, Maine, 444
Drinking, Myotis, 539
Dumas, Philip C.:
(See Freiburg, Richard E. and Dumas)
Durrant, Stephen D.:
(Review of) Simpson, George Gaylord, The major features of evolution, 600
Durrant, Stephen D. and Richard M. Hansen:
Taxonomy of the chickarees (Tamiasciurus) of Utah, 87

Eadie, W. Robert:
Animal control in field, farm and forest (Reviewed), 604
(Review of) Bourlière, François, The natural history of mammals, 603
(Review of) Robertson, R. B., Of whales and men, 604
Skin gland activity and pelage descriptions in moles, 186
(Review of) Walker, Ernest P., The monkey book, 603
ecaudata, Diphylla, 114, 584
Ecke, Dean H.:
An invasion of Norway rats in southwest Georgia, 521
Economic importance, Bassariscus, 57
Ectoparasites, Pizonyx, 86
Eira barbara senex, Mexico, hab., par., 102
Elk, 578
Ellerman, J. R. and T. C. S. Morrison-Scott:
Ictonyx kaup, 1835, the correct generic name, and Ictonyx striatus (Perry), 1810, the correct specific name for the African stinkmuishond, 130
Ellerman, J. R., C. S. Morrison-Scott, and R. W. Hayman:
Southern African mammals (Reviewed), 460
Elsey, C. A.:
A case of cannibalism in Canada lynx (Lynx canadensis), 129
Elton, C. S.:
Further evidence about the barren-ground grizzly bear in northeast Labrador and Quebec, 345
Emballonuridae, anat., 147
Embryos:
Neotomodon, 76
Pizonyx, 86
Sigmodon, 76
Enders, Robert K.:
(See Llewellyn, Leonard M. and Enders)

England, 161
Enhydra lutris, hab., phys., 595
Eptesicus fuscus, Calif., hab., 539
fuscus fuscus, Minn., hab., 434; N. Y., hab., 103
fuscus miradorensis, Mexico, hab., 69
eremicus, Peromyscus, 450
Erickson, Arnold B. and Gerald T. Bue:
Additional mule deer records for Minnesota, 457
Erikson, G. E.:
(Review of) Hill, W. C. Osman, Primates: comparative anatomy and taxonomy, 601
Erignathus barbatus, Japan, hab., wt., phys., 218
erminea, Mustela, 161, 430
Errington, Paul L.:
On the conservation of the lynx in Scandinavia, 254
erythrourus, Meriones, 243
Eschrichtius glaucus, Calif., hab., 596; Pacific, distr., 444
Estrous cycle, Vulpes, 504
Euderma maculata, Calif., Utah, 117
Eumops glaucinus, Mexico, 70
europaea, Talpa, 583
Eutamias amoenus luteiventris, Alberta, distr., 105
minimus, N. A., anat., 357
minimus borealis, Alberta, hab., 105
ruficaudus, N. A., anat., 357
umbrinus, N. A., anat., 357
Evolution, Perognathus, 863
Extension of range:
Bassariscus, 577
Castor, 578
Cervus, 578
Citellus, 587
Lasiurus, 578, 584
Lepus, 578
Mirounga, 129
Myocaster, 578
Onychomys, 118
Perognathus, 453
Peromyscus, 450
Phenacomys, 577
Procyon, 578
Rattus, 521
Sciurus, 577, 578
Sorex, 583
Ursus, 577, 578
Zapus, 592
fallax, Perognathus, 386
fasciata, Phoca, 218
Fay, Francis H.:
Quantitative experiments on the food consumption of Parascalops breweri, 107
Feces, Sorex, 109
Feeding:
Nasua, 53
Parascalops, 107
Pizonyx, 85
Feeding platform, Peromyscus, 17
Felis concolor, 255
concolor araucanus, Chile, wt., anat., gen., 126
concolor azteca, Mexico, hab., 71
Ferret, black-footed, 418, 443, 593
Fetus, Myotis, 432, 434
Fighting, Peromyscus, 24
Findley, James S.:
Reproduction in two species of Myotis in Jackson Hole, Wyoming, 434
Tree roosting of the eastern Pipistrelle, 433
(See Russell, Robert J. and Findley)
Finley, Robert B.:
Notiosorex crawfordi and Antrozous pallidus from southeastern Colorado, 110
Fitch, Henry S.:
Seasonal acceptance of bait by small mammals, 39
flavus, Perognathus, 73
Potos, 102
Florida, 116, 225, 260
floridana, Neotoma, 46
floridanus, Peromyscus, 260
Sylvilagus, 47, 429
Fluctuations, Peromyscus, 526
Food:
Alopex, 206
Bassariscus, 57, 406
Choeronycteris, 436
Citellus, 40, 445
Didelphis, 39, 406
Enhydra, 595
Erignathus, 218
Mephitis, 406
Myotis, 539
Nasua, 53
Ochotona, 450
Parascalops, 107
Perognathus, 592
Peromyscus, 21

Phoca, 218
Pizonyx, 85
Procyon, 406
Sylvilagus, 46
Urocyon, 406
whale, 124
Zapus, 42
Food, use as, seals, 218
Food storage by:
Citellus, 586
Mesocricetus, 545
Foraging, Myotis, 539
formosus, Perognathus, 386
Fox:
Arctic, 105
gray, 71, 406
red, 504
Freiburg, Richard E. and Philip C. Dumas:
The elephant seal (Mirounga angustirostris) in Oregon, 129
Fuller, W. A.:
The first premolar and the canine tooth in bison, 454
fulva, Vulpes, 504
fulvescens, Reithrodontomys, 74
fumeus, Sorex, 579
Funambulus palmarum palmarum, India, anat., tax., 471
fuscus, Eptesicus, 69, 103, 434, 539

Gale, Larry R. and Robert A. Pierce:
Occurrence of the coyote in Kentucky, 256
Gallizioli, Steve:
(See Wallmo, O. C. and Gallizioli)
gapperi, Clethrionomys, 103, 579
Garst, W. E.:
Black-footed ferret in South Dakota, 594
Genital tract:
Funambulus, 471
Ratufa, 471
geoffroyi, Ateles, 101
Geomyidae, anat., tax., 425
Georgia, 521
gerbillus, Gerbillus, 243
Gerbillus calurus, anat., tax., 243
campestris, comp., 243
dasyurus, comp., 243
gerbillus, comp., 243
pyramidum, comp., 243
quadrimaculatus, comp., 243
Germany, 119
gerrardi, Sciurus, 357
Gestation, Peromyscus, 24
Glands:
bulbar, Ratufa, 471
Cowper's, Funambulus, 471; Ratufa, 471
facial, Chilonycteridae, 147; Desmodontidae, 147; Emballonuridae, 147; Molossidae, 147; Natalidae, 147; Phyllostomidae, 147; Vespertilionidae, 147;
perineal, Condylura, 190; Parascalops, 189; Scalopus, 193
prostate, Funambulus, 471; Ratufa, 471
salivary, Chilonycteridae, 147; Desmodontidae, 147; Emballonuridae, 147; Molossidae, 147; Natalidae, 147; Phyllostomidae, 147; Vespertilionidae, 147;
sebaceous, Chilonycteridae, 147; Desmodontidae, 147; Emballonuridae, 147; Molossidae, 147; Natalidae, 147; Phyllostomidae, 147; Vespertilionidae, 147
seminal vesicles, Funambulus, 471; Ratufa, 471
skin, Condylura, 186; Parascalops, 186; Scalopus, 186; Scapanus, 195
sudoriferous, Chilonycteridae, 147; Desmodontidae, 147; Emballonuridae, 147; Molossidae, 147; Natalidae, 147; Phyllostomidae, 147; Vespertilionidae, 147
utriculus prostaticus, Funambulus, 471
glareolus, Clethrionomys, 161
glaucinus, Eumops, 70
Glaucomys sabrinus macrotis, N. A., anat., 357
volans volans, Neb., distr., 429; N. A., anat., 357
glaucus, Eschrichtius, 444; 596
Glossophaga soricina, Mexico, distr., 584
soricina alticola, Mexico, tax., anat., 68;
soricina leachi, Mexico, anat., tax., 67; Mexico, 114
Goehring, Harry H.:
Pipistrellus subflavus obscurus, Myotis keenii, and Eptesicus fuscus fuscus hibernating in a storm sewer in central Minnesota, 434
Goodpaster, Woodrow W. and Donald F. Hoffmeister:
Life history of the golden mouse, Peromyscus nuttalli, in Kentucky, 16
Goodwin, George G.:
Southern records for Arctic mammals and a northern record for Alfaro's rice rat, 258
Gopher:
Merriam pocket, 72

Mexican pocket, 72
pocket, 121
Gordon, David C.:
Melanism in the varying hare, Lepus americanus virginianus, 122
Goslin, Robert M.:
Eastern big-eared bat in Ohio, 430
gossypinus, Peromyscus, 526
grampus, gray, 123
Grampus griseus, North Atlantic, hab., 123
Gray, James:
How animals move (Reviewed), 464
griseus, Grampus, 123
Sciurus, 357, 577, 578
groenlandica, Phoca, 105, 218, 258
Ground squirrel, 357, 545
Alaskan, 586
Arctic, 445
Belding, 587
California, 40
thirteen-lined, 105
Growth:
Clethrionomys, 376
Dicrostonyx, 376
Microtus, 376
Myotis, 432
Ursus, 29
grypus, Halichoerus, 595
guariba, Alouatta, 117
Gulo luscus, Calif., distr., 594; Wisc., distr., 254
Gunderson, Harvey L. and James R. Beer:
The mammals of Minnesota (Reviewed), 270

Habitat:
Alouatta, 117
Antrozous, 539
Artibeus, 68
Baiomys, 75
Bassariscus, 56, 442
Chilonycteris, 67
Choeronycteris, 68
Citellus, 71
Conepatus, 71
Corynorhinus, 430, 539
Dasypus, 78
Dipodomys, 515, 570
Eptesicus, 69, 539
Felis, 71
Lasiurus, 116
Liomys, 73
Macrotus, 67, 539
Mephitis, 71
Microtus, 77, 259
Mus, 77, 509
Mustela, 430
Myotis, 69, 539
Nasua, 48
Neotoma, 239
Neotomodon, 76
Ochotona, 450
Perognathus, 453
Peromyscus, 16, 75, 515, 561
Phenacomys, 450, 577
Pipistrellus, 433, 539
Procyon, 71
Reithrodontomys, 74
Sigmodon, 76, 260
Sorex, 66, 430
Sylvilagus, 78, 392
Tadarida, 70
Urocyon, 71
Ursus, 345
Zapus, 233
Halichoerus grypus, Canada, hab., 595
Hall, E. Raymond and James W. Bee:
Occurrence of the harbor porpoise at Point Barrow, Alaska, 122
Haltenorth, Th.:
Die Wildkatzen der Alten Welt. Eine Ubersicht uber die Untergattung Felis (Reviewed), 271
Hamilton, W. J., Jr.:
(Review of) Moore, Clifford B., Ways of mammals in fact and fancy, 270
(Review of) Gunderson, Harvey L. and James R. Beer, The mammals of Minnesota, 270
Hamsters, 425, 545
Handley, Charles O., Jr.:
Phenacomys in Minnesota, 260
(Review of) Ellerman, J. R., et al., Southern African mammals, 460
(Review of) Rosevear, D. R., Checklist and atlas of Nigerian mammals, with a foreword on vegetation, 269
Hannon, J. P.:
(See Cook, S. F. and Hannon)
Hansen, Richard M.:
The Belding ground squirrel north of the Snake River in Idaho, 587
(See Durrant, Stephen D. and Hansen)
Hare:
snowshoe, 122, 458
varying, 122
Haugen, Orland L.:

Longevity of the raccoon in the wild, 439
Heart rate, Mirounga, 211
heermanni, Dipodomys, 42, 515
hemionus, Odocoileus, 457, 486, 599
Hermaphrodite, Capreolus, 486
hesperus, Pipistrellus, 539
Heteromyidae, anat., tax., 425
Heteromys desmerestianus desmerestianus, Mexico, wt., par., 101
Hibbard, Claude W.:
A new Synaptomys, an addition to the Borchers Interglacial (Yarmouth?) fauna, 249
Hibernation:
Citellus, 445, 545
Eptesicus, 434
Mesocricetus, 545
Myotis, 434
Pipistrellus, 434
Zapus, 121
Hildebrand, Milton:
Incisor tooth wear in the sea otter, 595
Hill, W. C. Osman:
Primates: comparative anatomy and taxonomy (Reviewed), 601
Hirasaka, K.:
Basking habit of the Japanese bear, 128
hirsutus, Artibeus, 69
hispidus, Sigmodon, 76, 177, 260
Hitchcock, Harold B.:
Felled tree kills beaver (Castor canadensis), 452
Hoffman, Roger A. and Charles M. Kirkpatrick:
Red fox weights and reproduction in Tippecanoe County, Indiana, 504
Hoffmeister, Donald F.:
(See Goodpaster, Woodrow W. and Hoffmeister)
Hoiberg, Arnold J.:
(See Sealander, John A., Jr. and Hoiberg)
Holdenreid, Robert:
A new live-catch rodent trap and comparison with two other traps, 267
Home range:
Cryptotis, 181
Mus, 183
Peromyscus, 181
Reithrodontomys, 181
Sigmodon, 182
Sylvilagus, 392
small mammals, 1
Hoover, Robert L.:
Seven fetuses in western fox squirrel (Sciurus niger rufiventer), 447
horribilis, Ursus, 345
Howell, Joseph C.:
Populations and home ranges of small mammals on an overgrown field, 177
hudsonicus, Tamiasciurus, 87, 103, 252, 357
hudsonius, Zapus, 42, 103, 121, 233, 592
Huey, Laurence M.:
Choeronycteris mexicana from southern California and Baja California, Mexico, 436
Second record of Tadarida molossa from San Diego, California, 435
humulis, Reithrodontomys, 177
Hunting of:
Erignathus, 218
Phoca, 218
Hybridization, Peromyscus, 448
Hyopsodus, Colo., foss., distr., 581

Ictonyx striatus, Africa, 130
Idaho, 587
Illinois, 589
Illustration:
Abnormal antler development in female whitetail deer, 491
Antlers of white-tailed deer, 599
Bat faces, 151
Cheekteeth of Gerbillus and Meriones, 245, 246
Den of Ursus, 34
Dentition of bison, 454
Diagram of penis of Malabar squirrel, 478
Diagram of penis of palm squirrel, 475
Diagram of urethra and colliculus seminalis of squirrels, 480
Fecal plug of Ursus, 34
Feeding on walrus by arctic fox, 207
Femurs of mink, 498
Gerbillus calurus, 247
Gerrit S. Miller, Jr., 316
Glans penis and baculum of Malabar squirrel, 479
Glans penis and baculum of palm squirrel, 477
Habitat of golden mouse, 17
Leaping in Perognathus, 390
Locomotion of Perognathus, 388, 389
Locomotion in Peromyscus, 390
Molar pattern of Synaptomys, 250
Natalid gland of bat, 149

Os clitoridis, 360
Ovaries of antlered whitetail doe, 491
Raccoon box trap, 441
Rattus distribution, 522
Reproductive tracts of antlered does of Capreolus, 489
Seals from Hokkaido and young, 220
Simia apella and Simia capucina, 416
Skulls of Gerbillus, 244
Type locality of Pizonyx, 84
Urogenital tracts and penes of squirrels, 474
Walrus carcass, 207
India, 471
Indiana, 504
indica, Ratufa, 471
insignis, Napaeozapus, 103
Intelligence, Tursiops, 225
Intergradation:
Liomys, 73
Ochotona, 450
Peromyscus, 561
Tamiasciurus, 90
intermedius, Phenacomys, 260, 450, 577
irroratus, Liomys, 73

Jackson, Hartley H. T.:
Wolverine (Gulo luscus) specimens from Wisconsin, 254
jamaicensis, Artibeus, 69, 101, 114, 584
Jameson, E. W., Jr.:
Insects in the diet of pocket mice, Perognathus parvus, 592
Japan, 124, 128, 218
Johnson, David H.:
(See Miller, Gerrit Smith, Jr. and Johnson)
Johnson, Murray L. and Leo K. Couch:
Determination of the abundance of cougar, 255
Johnson, Ned K.:
New mammal records for Nevada, 577
Jones, J. Knox, Jr. and Richard B. Loomis:
Records of the short-tailed shrew and least shrew from Colorado, 110

Kansas, 39, 42, 45, 46, 47, 249, 367
keenii, Myotis, 434
Kentucky, 16, 256
Kilham, Lawrence:
Cow-pasture nests of Cryptotis parva parva, 252
Territorial behavior of red squirrel, 252
Kinkajou, 102
Kirkpatrick, Charles M.:
(See Hoffman, Roger A. and Kirkpatrick)
Krog, John:
Storing of food items in the winter nest of the Alaskan ground squirrel, Citellus undulatus, 586
Krutzsch, Philip H.:
Notes on the habits of the bat, Myotis californicus, 539
Kune, Merle L. and Richard E. Tashian:
Notes on mammals from northern Chiapas, Mexico, 100

Labrador, 105
lagopus, Alopex, 105
landesi, Synaptomys, 249
Lasiurus (as food), 61
borealis, Nev., distr., 578
borealis borealis, Ark., syn., 584
cinereus, Ark., distr., 430; Calif., distr., hab., 431; Fla., 116; Md., dis., 253; Minn., hab., 116; Neb., distr., 429
seminolus, Ark., distr., 584
lateralis, Citellus, 357
latrans, Canis, 256
Lawrence, Barbara and William E. Schevill:
Tursiops as an experimental subject, 225
Layne, James N.:
The os clitoridis of some North American Sciuridae, 357
(Review of) Gray, James, How animals move, 464
Layne, James N. and Allen H. Benton:
Some speeds of small mammals, 103
Lechleitner, R. R.:
Age criteria in mink, Mustela vison, 496
Least weasel in Glacier National Park, 594
Lee, Joshua A.:
Range of Peromyscus eremicus eremicus in Nevada, 450
lemmings, 105
collared, 376
Lemmus, Arctic, hab., 105
Lensink, Calvin J.:
Deformed jaw in an Alaskan brown bear (Ursus), 438
Occurrence of Microtus xanthognathus in Alaska, 259
Leonard, Robert G.:
(See Sealander, John A. and Leonard)

Leopold, A. Starker:
Dichotomous forking in the antlers of white-tailed deer, 599
Leopold, A. Starker and F. Fraser Darling: Wildlife in Alaska (Reviewed), 463
Leporidae (as food), 59
Leptonycteris nivalis nivalis, Mexico, anat., tax., 68
Lepus (as food), 111
americanus phaeonotus, Conn., par. 458
americanus tahoensis, Nev., distr., 578
americanus virginianus, N. H., hab., 122; N. Y., gen., wt., 122
callotis, Mexico, 77
leucogaster, Onychomys, 118
leucopus, Peromyscus, 19, 44, 103, 177, 367, 526, 589
leucurus, Citellus, 357
Cynomys, 357
Life span:
Ovibos, 456
Procyon, 439
Life zones, New York, 579
Light effect, Antilocapra, 533
lilium, Sturnira, 114
Liomys irroratus minor, Mexico, tax., hab., gen., 73
irroratus pullus, Mexico, gen., hab., 73
Litter, Peromyscus, 24
Litter size:
Mus, 509
Sciurus, 447
Vulpes, 504
lituratus, Artibeus, 101, 114
Liu, T. T.:
Hybridization between Peromyscus maniculatus oreas and P. m. gracilis, 448
Monozygotic twinning in Peromyscus maniculatus, 449
Live trapping:
Blarina, 40
Citellus, 40
Cryptotis, 40
Didelphis, 39
Dipodomys, 42, 515
Microtus, 45
Neotoma, 46
Ochotona, 450
Peromyscus, 42, 515
Procyon, 440, 578
Reithrodontomys, 45
Sylvilagus, 46, 392
Zapus, 42
Llewellyn, Leonard M. and Robert K. Enders:
Ovulation in the raccoon, 440
Trans-uterine migration in the raccoon, 439
Locomotion:
Bassariscus, 57
Perognathus, 386
longimembris, Perognathus, 386
Loomis, Richard B.:
(See Jones, J. Knox, Jr. and Loomis)
lotor, Procyon, 71, 406, 439, 440
Louisiana, 40
lucifugus, Myotis, 111, 432, 434
ludovicianus, Cynomys, 357
lupus, Canis, 105
luscus, Gulo, 254, 594
Lutra canadensis, Mass., anat., 125
canadensis sonora, N. M., wt., distr., hab., 443
lutris, Enhydra, 595
Lyman, Charles P.:
Activity, food consumption and hoarding in hibernators, 545
Lynx:
Canada, 129
European, 254
Lynx canadensis, Ontario, hab., 129
lynx, Europe, consv., 254
rufus, Conn., dis., wt., 458
rufus rufus, Neb., wt., distr., 429

Mackenzie, B. A.:
Green algal growth on gray seals, 595
macrotis, Corynorhinus, 430
Peropteryx, 100
Macrotus californicus, Calif., hab., 539
mexicanus mexicanus, Mexico, hab., 67
macroura, Mephitis, 71
maculata, Euderma, 117
Maine, 444, 583
Malocclusion:
Rattus, 427
Ursus, 438
maniculatus, Peromyscus, 42, 74, 103, 118, 448, 449, 515, 553
Manville, Richard H.:
Malocclusion in the rat, 427
Manzer, J. I.:
Observations on the gray whale, 444

Map:
Baja California distribution of Pizonyx, 82
Distribution of coatis in Arizona, 49
Distribution of Dipodomys, 571
Distribution of Peromyscus nuttalli, 18
Distribution of Tamiasciurus in Utah, 89
Distribution of Zapus hudsonius in Ohio, 237
Fur posts on Quebec peninsula, 347
Ranges of oldfield mice, 563
Walrus of St. Lawrence Island, 205
Marking:
Procyon, 440
Sylvilagus, 392
Marmots, 357
Marmota monax rufescens, N. A., anat., 357
marsupialis, Didelphis, 39, 66, 100, 406, 581
Martin, Marian and Paul S.:
Notes on the capture of tropical bats at Cuevo el Pachon, Tamaulipas, Mexico, 584
Martin, Paul S.:
(See Martin, Marian and Paul S.)
Maryland, 252, 253, 439, 440
Massachusetts, 107, 125
Maternal behavior, Peromyscus, 25
Matson, J. R.:
Observations on the dormant phase of a female black bear, 28
McCarley, W. H.:
Fluctuations and structure of Peromyscus gossypinus populations in eastern Texas, 526
McClellan, Jim:
An otter catch on the Gila River in southwestern New Mexico, 443
McEwen, E. H.:
A sporadic occurrence of an Alaskan fur seal, 444
McKenna, Malcolm C.:
Gray Bull Mammals from the Knight Formation in Moffat County, Colorado, 581
McNab, Brian K.:
A new record of Mustela erminea and Sorex merriami, 430
Measurements:
Alouatta, 117
Artibeus, 114
Balantiopteryx, 66
Bassariscus, 442
Blarina, 110
Callorhinus, 444
Castor, 197, 452
Centurio, 114
Cratogeomys, 122
Cryptotis, 110
Desmodus, 114
Diphylla, 114
Dipodomys, 570
Eptesicus, 69
Felis, 71, 126
Gerbillus, 243
Glossophaga, 114
Lasiurus, 116
Lepus, 122
Liomys, 73
Lutra, 443
Microtus, 587
Mus, 509
Mustela, 430, 496
Myotis, 111, 432, 434
Nasua, 52
Notiosorex, 110
Onychomys, 118
Oryzomys, 76, 263
Perognathus, 97
Peromyscus, 25, 561
Phenacomys, 450
Phocoena, 122
Pizonyx, 86
Rattus, 119
Reithrodontomys, 73
Sciurus, 447
Sigmodon, 76, 260
Sorex, 36, 430, 583
Sturnira, 114
Zapus, 121, 592
megalophylla, Mormoops, 67
megalotis, Micronycteris, 67
Reithrodontomys, 45, 73, 430
Melanism:
Lepus, 122
Neotoma, 239
melanophrys, Peromyscus, 75
melanotis, Peromyscus, 75
mephitis, Mephitis, 406
Mephitis (as food), 59
macroura macroura, Mexico, hab., 71
mephitis, Tex., hab., 406
meridianus, Meriones, 243
Meriones calurus, syn., 243
crassus, comp., 243
erythrourus, comp., 243
meridianus, comp., 243

persicus, syn., 243
rex, syn., 243
shawi, comp., 243
merriami, Cratogeomys, 72
Dipodomys, 570
Perognathus, 453
Sorex, 430
Mesocricetus auratus, hab., 545
mesoleucus, Conepatus, 71
Metabolism, Peromyscus, 553
mexicana, Choeronycteris, 68, 436, 437
Tadarida, 70
mexicanus, Citellus, 357
Macrotus, 67
Microtus, 77
Natalus, 584
Peromyscus, 102
Mexico, 66, 81, 100, 114, 118, 121, 211, 258, 433, 437, 584, 596, 599
Michigan, 35, 105, 109, 129, 439, 447, 448
Micromys minutus soricinus, England, hab., 161
Micronycteris megalotis mexicana, Mexico, 67
Microtus, hab., 12
agrestis hirtus, England, hab., wt., 161
mexicanus mexicanus, Mexico, tax., hab., 77
ochrogaster, Kan., 45
oeconomus macfarlani, Alaska, phys., wt., 376
pennsylvanicus, N. Y., anat., tax., 587
pennsylvanicus pennsylvanicus, N. Y., hab., 103
pinetorum, Kan., 45
provectus, R. I., anat., tax., 587
xanthognathus, Alaska, distr., hab., 259
Migration:
Choeronycteris, 436
Dicrostonyx, 105
Eschrichtius, 596
Lemmus, 105
Lutra, 443
Ovibos, 105
Rangifer, 104
Miller, Gerrit Smith, Jr.:
Biography, 317
Miller, Gerrit S., Jr. and David H. Johnson:
Bibliography of Gerrit Smith Miller, Jr., 329
minimus, Eutamias, 105, 357
Mink, 496
Minnesota, 116, 260, 434, 457
Mirounga angustirostris, Mexico, phys., hab., 211; Ore., anat., 129
Mississippi, 509
Mole, hairy-tailed, 107
molossa, Tadarida, 435
Molossidae, anat., 147
Molossus nigricans, Mexico, tax., anat., 70
Molt, Phoca, 218
monax, Marmota, 357
Monkey, 415
black howler, 101
Mexican spider, 101
reddish howling, 117
Montana, 418, 496, 593, 594
Moore, Clifford B.:
Ways of mammals in fact and fancy (Reviewed), 270
Moose, 105
Mormoops megalophylla senicula, Mexico, 67
Morrison, Peter R., Fred A. Ryser, and Robert L. Strecker:
Growth and the development of temperature regulation in the tundra redback vole, 376
Morrison-Scott, T. C. S.:
(See Ellerman, J. R. and Morrison-Scott)
Mortality:
Bison, 453
Castor, 452
Odobenus, 203
moschatus, Ovibos, 105, 456
Mouse, 448, 449
Baird pocket, 73
big-eared rock, 75
black-eared, 75
Boyle white-footed, 515
brush, 75
deer, 42, 74, 553
fulvous harvest, 74
Gambel white-footed, 515
Gilbert white-footed, 515
golden, 16, 177
gopher, 260
grasshopper, 118
gray-cheeked rock, 75
harvest, 169, 177, 430
house, 77, 177, 509
jumping, 42
meadow, 587
meadow jumping, 121, 233, 592
Mexican white-footed, 102
Nelson pocket, 453

oldfield, 561
pine, 45
pocket, 95, 386, 453, 592
pygmy, 75
red-backed, 579
rufescent harvest, 74
spiny pocket, 73, 101
volcano, 76
volcano harvest, 74
western harvest, 45, 73
white-footed, 44, 589
wood, 177, 367
Movements:
Alces, 105
Alopex, 105
Canis, 105
Citellus, 105
Cystophora, 105
Dicrostonyx, 105
Didelphis, 105
Lemmus, 105
Phoca, 105
Muridae, anat., tax., 425
Mus musculus, Miss., hab., anat., phys., 509; N. Y., hab., 103; Tenn., hab., 177
musculus brevirostris, Mexico, wt., hab., 77
Musacchia, X. J.:
Cannibalism and other observations of captive ground squirrels, 445
musculus, Baiomys, 75
Mus, 77, 103, 177, 509
Muskox, 105, 456
Mustela erminea muricus, Nev., distr., hab., 430
erminea stabilis, England, 161
nigripes, Colo., Mont., Neb., N. M., N. D., S. D., Tex., Utah, Wyo., distr., 418; Mont., distr., 593; S. D., distr., wt., 443, 594
nivalis nivalis, hab., 161
rixosa, Mont., distr., 594
vison, Mont., wt., anat., phys., 496
Myocaster coypus, Nev., distr., 578
Myotis austroriparius, comp., 112
californicus, Calif., distr., hab., phys., par., 539
keenii, Minn., hab., 434
lucifugus carissima, Wyo., phys., wt., anat., 434
lucifugus lucifugus, N. Y., anat., gen., phys., 111; N. Y., wt., phys., anat., 432
nigricans extremus, Mexico, wt., par., hab., 101
subulatus, Calif., hab., 539
velifer velifer, Mexico, hab., 69
volans interior, Wyo., phys., wt., anat., 434

Napaeozapus insignis insignis, N. Y., hab., 103
narica, Nasua, 48, 70, 102
Nasua narica, Ariz., distr., anat., hab., wt., 48
narica molaris, Mexico, 70
narica narica, Mexico, 102
Natalidae, anat., 147
Natalus mexicanus, Mexico, distr., 584
Nebraska, 418, 429
nelsoni, Perognathus, 453
Sciurus, 72
Neotoma (as food), 59, 111
albigula, Tex., gen., hab., pel., 239
albigula melas, Tex., gen., hab., pel., 239
alleni elattura, Mex., tax., anat., 77
floridana, Kan., 46
torquata, Mexico, distr., 77
Neotomodon alstoni alstoni, Mexico, anat., hab., distr., 76
Nest:
Citellus, 586
Cryptotis, 252
Peromyscus, 17
Sorex, 109
Zapus, 121
Nevada, 430, 450, 577, 578
New Hampshire, 122, 252
New Mexico, 418, 443, 453
New York, 103, 111, 122, 197, 432, 452, 579, 587
Nicholson, A. J.:
Food of a beaked whale, 124
niger, Sciurus, 357, 447
nigricans, Molossus, 70
Myotis, 101
nigripes, Mustela, 418, 443, 593, 594
nitratoides, Dipodomys, 570
nivalis, Leptonycteris, 68
Mustela, 161
Nocturnal, Perognathus, 73
Norris, Kenneth S.:
(See Reeder, William G. and Norris)
North America, 357
North Atlantic, 123
North Carolina, 258

North Dakota, 418
norvegicus, Rattus, 119, 177, 427, 521
Notiosorex crawfordi, Colo., distr., (as food), 110
novemcinctus, Dasypus, 78
nudicaudatus, Tylomys, 101
Nursery, Myotis, 539
Nutria, 578
nuttalli, Peromyscus, 16, 177, 526
Nyctitherium, Colo., foss., distr., 581

Ochotona princeps, Colo., hab., gen., 450
ochrogaster, Microtus, 45
Odobenus, Maine, distr., 444
rosmarus divergens, Alaska, anat., 203
Odocoileus (as food), 59
hemionus, Minn., distr., 457
hemionus crooki, Mexico, anat., 599
hemionus hemionus, anat., 486
virginianus, Mich., hab., 129; Wisc., anat., 456
virginianus carminis, Mexico, anat., 599
virginianus macrourus, Colo., distr., 269
virginianus mexicanus, Mexico, 78
Odum, Eugene P.:
Fundamentals of ecology (Reviewed), 462
oeconomus, Microtus, 376
Ohio, 121, 233, 430, 440
Ontario, 105, 129
Onychomys (as food), 111
leucogaster longipes, Mexico, hab., anat., 118
Opossum, 39, 66, 105, 406, 581
black-eared, 100
four-eyed, 100
white-eared woolly, 100
opossum, Philander, 100
Oregon, 129
Oryzomys alfaroi dilutior, Mexico, distr., 258
couesi aztecus, Mexico, anat., tax., wt., 76
palustris palustris, Tenn., phys., anat., wt., 263
Os clitoridis:
Citellus, 357
Cynomys, 357
Eutamias, 357
Glaucomys, 357
Marmota, 357
Sciurus, 357
Tamias, 357
Tamiasciurus, 357
Osteology, Castor, 197
Ototylomys phyllotis guatemalae, Mexico, wt., anat., phys., 102
Otter, 443
river, 125
sea, 595
Ovarian cycle, Oryzomys, 263
Ovibos moschatus, Alaska, anat., phys., 456; Arctic, hab., distr., 105
Ovis (as food), 60
Ovulation, Procyon, 440
Owen, Oliver S.:
Merriam's life zone concept and the distribution of certain small mammals in central New York, 579

Paca, 102
paca, Cuniculus, 102
Pacific, 444
palliata, Alouatta, 101
pallidus, Antrozous, 111, 539
palmarum, Funambulus, 471
Palmer, Ralph S.:
(Review of) Leopold, A. Starker and F. Fraser Darling, Wildlife in Alaska, 463
palustris, Oryzomys, 263
Parascalops, anat., pel., 186
breweri, Mass., wt., hab., 107
Parasites:
Callorhinus, 258
Lasiurus, 253
Lepus, 458
Lynx, 458
Myotis, 539
Peromyscus, 26, 589
Raccoon, 459
Sylvilagus, 392
Parke, Wesley N.:
(See Penner, Lawrence R. and Parke)
parryii, Citellus, 445
Parturition, Myotis, 111
parva, Cryptotis, 40, 110, 177, 252
parvus, Perognathus, 95, 592
pearyi, Rangifer, 104
Peccary, collared, 102
Pelage:
Bassariscus, 57
Myotis, 111
Talpidae, 186
penicillatus, Perognathus, 453
Penner, Lawrence R.:

A note on Macracanthorhynchus ingens in a Connecticut raccoon, 459
Dirofilaria scapiceps from snowshoe hare in Connecticut, 458
Penner, Lawrence R. and Wesley N. Parke: Notoedric mange in the bobcat, Lynx rufus, 458
Pennsylvania, 28, 581
pennsylvanicus, Microtus, 103, 587
Peradectes, Colo., foss., distr., 581
Peratherium, Colo., foss., distr., 581
Perognathus (as food), 59, 111
californicus, Hab., 386
fallax, hab., 386
flavus mexicanus, Mexico, hab., tax., 73
formosus, hab., 386
longimembris, hab., 386
merriami gilvus, hab., 453
nelsoni canescens, N. M., distr., 453
parvus, Calif., hab., 592
**parvus yakimensis** Wash., anat., tax., distr., gen., orig. desc., 95
penicillatus eremicus, hab., 453
Peromyscus, hab., 8; (as food), 59, 111
boylii boylii, Calif., hab., 515
boylii levipes, Mexico, 75
difficilis felipensis, Mexico, hab., 75
eremicus eremicus, Nev., distr., 450
floridanus, Fla., hab., phys., 260
gossypinus, Tex., hab., 526
leucopus, hab., 19; Ill., par., 589; Kan., 44; Tenn., hab., 177; Tex., hab., 526
leucopus noveboracensis, Kan., anat., 367; N. Y., hab., 103
maniculatus, Calif., phys., wt., 553; Calif., Kan., 42; Colo., phys., 118
maniculatus bairdi, phys., anat., 449; N. Y., hab., 103
maniculatus blandus, phys., anat., 449
maniculatus fulvus, Mexico, tax., gen., 74
maniculatus gambelii, Calif., hab., 515
maniculatus gracilis, Mich., gen., 448; N. Y., hab., 103
maniculatus labecula, Mexico, tax., hab., 75
maniculatus oreas, Wash., gen., 448
melanophrys melanophrys, Mexico, anat., hab., 75
melanotis, Mexico, hab., 75
mexicanus teapensis, Mexico, wt., phys., anat., tax., 102
nuttalli, Ken., hab., anat., phys., map, par., 16; Tenn., hab., 177; Tex., hab., 526
polionotus albifrons, S. C., distr., anat., gen., hab., 561
**polionotus colemani**, S. C., distr., anat. gen., hab., orig. desc., 561
**polionotus lucubrans**, S. C., distr., anat., gen., hab., orig. desc., 561
polionotus polionotus, S. C., distr., anat., gen., hab., 561
polionotus rhoadsi, S. C., distr., anat., gen., hab., 561
polionotus subgriseus, S. C., distr., anat., gen., hab., 561
truei gilberti, Calif., hab., 515
Peropteryx macrotis macrotis, Mexico, wt., distr., 100
persicus, Meriones, 243
personata, Chilonycteris, 67
perspicillata, Carollia, 101
Peterson, Liven A. and Elihu D. Berg: Black footed ferrets used as ceremonial objects by Montana indians, 593
Peterson, Randolph L.: (Review of) Haltenorth, Th., Die Wildkatzen der Alten Welt. Eine Ubersicht uber die Untergattung Felis, 271
Phenacolemur, Colo., foss., distr., 581
Phenacomys, Sierran, 577
Phenacomys intermedius celsus, Nev., distr., hab., 577
intermedius intermedius, Colo., hab., wt., 450
intermedius ungava, Minn., syn., distr., 260
Philander opossum pallidus, Mexico, hab., 100
Phoca fasciata, Japan, hab., wt., pel., phys., 218
groenlandica, Japan, hab., wt., phys., 218; Labrador, hab., 105; Va., distr., 258
vitulina, Japan, hab., wt., phys., 218
Phocoena vomerina, Alaska, wt., hab., 122
Phyllostomidae, anat., 147
phyllotis, Ototylomys, 102
Pierce, Robert A.: (See Gale, Larry R. and Pierce)
Pika, 450
pinetorum, Microtus, 45
Pitymys, 103
Pipistrellus subflavus, Mexico, hab., 433
subflavus obscurus, Minn., hab., 434
hesperus, Calif., hab., 539
Pitymys pinetorum scalopsoides, N. Y., hab., 103

Pizonyx vivesi, Mexico, distr., hab., anat., par., 81
Placentation, Peromyscus, 449
planirostris, Artibeus, 68
plicata, Balantiopteryx, 66
polionotus, Peromyscus, 561
Population:
Antrozous, 539
Apodemus, 161
Bassariscus, 56
Clethrionomys, 161
Cryptotis, 183
Eptesicus, 539
Macrotus, 539
Micromys, 161
Microtus, 161
Mus, 183
Mustela, 161
Myotis, 539
Nasua, 48
Neotomodon, 76
Peromyscus, 183, 526
Phenacomys, 450
Reithrodontomys, 73, 183
Sigmodon, 183
Sorex, 161
Sylvilagus, 392
Porpoise:
bottlenosed, 225
harbor, 122
Potos flavus campechensis, Mexico, hab., tax., 102
Prairie dog, 357
Prasad, M. R. N.:
The male genital tract of two genera of Indian squirrels, 471
Pregnancy:
Mus, 509
Rattus, 119
princeps, Ochotona, 450
Procyon, Bahamas, anat., 126
lotor, Conn., par., 459; Md., phys., 439, 440; Nev., distr., 578; Ohio, 440; Tex., hab., 406
lotor hernandezi, Mexico, hab., wt., 71
lotor lotor, Mich., phys., 439
provectus, Microtus, 587
Pruitt, William O., Jr.:
Aging in the masked shrew, Sorex cinereus cinereus, Kerr, 35
Notes on a litter of young masked shrews, 109
Notes on Colorado Phenacomys and pikas, 450
Rutting behavior of the whitetail deer (Odocoileus virginianus), 129
Pteronotus davyi fulvus, Mexico, 67, 100
Puma, 71
Chilean forest, 126
pyramidum, Gerbillus, 243

quadrimaculatus, Gerbillus, 243
Quast, Jay C.:
Rodent habitat preferences on foothill pastures in California, 515

Rabbit:
brush, 392
cottontail, 429
snowshoe, 578
volcano, 78
white-sided jack, 77
Raccoon, 71, 126, 406, 439, 440, 459, 578
rafinesquii, Corynorhinus, 539
Range:
Cebus, 415
Odocoileus, 457
Phocoena, 122
Pizonyx, 81
Rattus, 119
Tamiasciurus, 90
Rangifer arcticus, Arctic, hab., 104
pearyi, Arctic, hab., 104
Rat:
Alfaro's rice, 258
albino, 427
Big Pine Key cotton, 260
black, 177
brown, 119
climbing, 101
cotton, 177
Coues rice, 76
Florida wood, 46
fulvous wood, 77
hispid cotton, 76
house, 77
kangaroo, 42, 570
lesser climbing, 102
mountain cotton, 76
Norway, 177, 521
rice, 263
roof, 521
Tulare kangaroo, 515
Ward wood, 77
white-throated pack, 239
Rattus (as food), 111
norvegicus, anat., 427; Ga., distr., 521; Germany, phys., hab., 119; Tenn., hab., 177

rattus, Ga., distr., 521
rattus alexandrinus, Mexico, tax., 77
rattus rattus, Tenn., hab., 177
Ratufa indica maxima, India, anat., tax., 471
Record, Odobenus, 444
Reed, Charles A.:
Identity of the Pleistocene mole from Gibraltar, 583
Reeder, William G. and Kenneth S. Norris:
Distribution, type locality, and habits of the fish-eating bat, Pizonyx vivesi, 81
Reithrodontomys (as food), 59, 111
chrysopsis chrysopsis, Mexico, tax., hab., 74
fulvescens mustelinus, Mexico, tax., anat., 74
humulis, Tenn., hab., 177
megalotis, Kan., 45
megalotis dychei, Ark., distr., 430
megalotis saturatus, Mexico, 73
sumichrasti sumichrasti, Mexico, tax., 74
Reproduction:
Myotis, 434, 539
Peromyscus 24, 260
Procyon, 439
Ursus, 29
Vulpes, 504
Reproductive tract:
Funambulus, 471
Ratufa, 471
Respiration, Mirounga, 211
rex, Meriones, 243
Rhode Island, 585, 587
Richardson, Frank:
Nevada mammal records, 578
richardsoni, Citellus, 357
Ursus, 345
Ringtail, 406, 442
Ring-tailed cat, 57, 70
rixosa, Mustela, 594
Robertson, Ralph A. and Albert R. Shadle:
Osteologic criteria of age in beavers, 197
Robertson, R. B.:
Of whales and men (Reviewed), 604
Romerolagus diazi, Mexico, 78
Roosts:
Choeronycteris, 436
Myotis, 539
Pipistrellus, 433
Tadarida, 435
Rosevear, D. R.:
Checklist and atlas of Nigerian mammals, with a foreword on vegetation (Reviewed), 269
rosmarus, Odobenus, 203
rotundus, Desmodus, 69, 101, 114, 584
rubiginosa, Chilonycteris, 67, 584
rubricatus, Dicrostonyx, 376
ruficaudus, Eutamias, 357
rufus, Lynx, 429, 458
Russell, R. J :
(See Davis, W. B. and Russell)
Russell, Robert J.:
A multiple catch of Cratogeomys, 121
Russell, Robert J. and James S. Findley:
Swimming ability of the grasshopper mouse, 118
Ruth, Ferdinand S.:
Wolverine seen in Squaw Valley, California, 594
Rutherford, William H.:
A record of the ringtail (Bassariscus astutus) in Colorado, 442
rutilus, Clethrionomys, 376
Rutting, Odocoileus, 129
Ryser, Fred A.:
(See Morrison, Peter R. et al.)

sabrinus, Glaucomys, 357
Saccopteryx bilineata, Mexico, wt., hab., 100
Sanborn, Colin Campbell:
Weights, measurements, and color of the Chilean forest puma, 126
Sanitation, Peromyscus, 25
Sarcoptic mange, Lynx, 458
saussurei, Sorex, 66
Scalopus aquaticus anastasae, comp., 193
aquaticus aquaticus, anat., pel., 186
aquaticus australis, anat., pelage, 186
aquaticus howelli, anat., pelage, 186
aquaticus machrinus, anat., pelage, 186
Scapanus townsendii, Ore., pelage, anat., 195
Scats, Ursus, 35
Schevill, William E.:
Sight records of the gray grampus, Grampus griseus (Cuvier), 123
(See Lawrence, Barbara and Schevill)
Schiller, Everett L.:
Unusual walrus mortality on St. Lawrence Island, Alaska, 203
Schwartz, Albert:
Observations on the Big Pine Key cotton rat, 260
Oldfield mice, Peromyscus polionotus, of South Carolina, 561
Sciuridae, anat., tax., 425
Sciurus (as food), 59

aureogaster hypopyrrhus, Mexico, wt., distr., 101
carolinensis leucotis, N. Y., hab., 103; N. A., anat., 357
deppei, N. A., anat., 357
deppei deppei, Mexico, wt., distr., 101
fremonti, syn., 91
gerrardi, N. A., anat., 357
griseus, Nev., distr., 577; N. A., anat., 357
griseus griseus, Nev., distr., 578
hudsonicus ventorum, syn., 90
nelsoni nelsoni, Mexico, gen., distr., 72
niger, N. A., anat., 357
niger rufiventer, Colo., Mich., phys., wt., 447
variegatoides, N. A., anat., 357
Sea lion, 596
Seal:
Alaskan fur, 444
bearded, 218
earless, 218
elephant, 129
gray, 595
hair, 218
harp, 105, 258
hooded, 105, 258
northern elephant, 211
northern fur, 258
ribbon, 218
Sealander, John A., Jr.:
New mammal records for Arkansas, 430
Sealander, John A., Jr. and Arnold J. Hoiberg:
Occurrence of the Seminole bat in Arkansas, 584
Sealander, John A. and Robert G. Leonard:
Use of crayfish for cleaning skeletal material, 428
Seasonal movements, Lasiurus, 431
seminolus, Lasiurus, 584
senex, Centurio, 114
Sex ratio:
Mus, 509
Myotis, 111, 432
Peromyscus, 22
Rattus, 119
Sexual cycle, Mus, 509
Sexual maturity, Mus, 509
Shadle, Albert R.:
(See Robertson, Ralph A. and Shadle)
shawi, Meriones, 243
Shelford, V. E.:
The antelope population and solar radiation, 533
Sherman, H. B.:
Raccoons of the Bahama Islands, 126
Shrew, 425
desert, 110
least, 110, 177
little short-tailed, 40
longtail, 583
masked, 35, 109
Merriam, 430
Saussure, 66
short-tailed, 40, 110, 252
smoky, 579
vagrant, 66
Siegler, Hilbert R.:
Late-breeding snowshoe hare, 122
Sierts-Roth, R.:
Geburts-und Aufzuchtgewichte von Rassenunden (Reviewed), 272
Sigmodon (as food), 59
alticola amoles, Mexico, anat., hab., 76
hispidus, Tenn., hab., 177
hispidus exputus, Fla., distr., hab., anat., 260
hispidus obvelatus, Mexico, anat., hab., 76
Simia apella, syn., 415
capucina, syn., 415
Simpson, George Gaylord:
The major features of evolution (Reviewed), 600
Singing, Tamiasciurus, 252
Skeleton:
Castor, 197
Mustela, 496
Skunk:
hog-nosed, 71
hooded, 71
spotted, 71
striped, 406
Smith, William W.:
Reproduction in the house mouse, Mus musculus L., in Mississippi, 509
Sociability in Peromyscus, 23
Sorex araneus, England, hab., 161
cinereus cinereus, Mich., anat., wt., 35
cinereus leseuri, Mich., hab., wt., phys., 109
dispar, Me., distr., 583
fumeus, comp., 38
fumeus fumeus, N. Y., distr., 579
merriami merriami, Nev., distr., hab., 430
minutus, England, hab., 161
saussurei saussurei, Mexico, hab., 66
vagrans orizabae, Mexico, tax., 66

soricina, Glossophaga, 67, 114, 584
South Carolina, 561
South Dakota, 418, 443, 594
Southwick, Charles H.:
Canine teeth in a Wisconsin white-tailed deer fawn, 456
Spain, 583
Speed:
Blarina, 103
Clethrionomys, 103
Didelphis, 103
Eptesicus, 103
Microtus, 103
Mus, 103
Napaeozapus, 103
Peromyscus, 103
Pitymys, 103
Sciurus, 103
Tamias, 103
Tamiasciurus, 103
Zapus, 103
Spencer, David L.:
(See Buckley, John L., et al.)
Spermatogenesis, Vulpes, 504
Spilogale angustifrons angustifrons, Mexico, 71
Squirrel:
California gray, 578
Deppe's, 101
eastern flying, 429
fire-bellied, 101
flying, 357
Funambulus, 471
gray, 577
Malabar, 471
Nelson's, 72
red, 252
rock, 71
tree, 357
western fox, 447
Stains, Howard J. and Rollin H. Baker:
Deciduous teeth in the hognose bat, Choeronycteris mexicana, 437
Starrett, Andrew:
Longtail shrew, Sorex dispar, in Maine, 583
Statistical method, Felis, 255
Stegeman, LeRoy C.:
Notes on the development of the little brown bat, Myotis lucifugus lucifugus, 432
Variation in a colony of little brown bats, 111
Stickel, Lucille F.:
A comparison of certain methods of measuring ranges of small mammals, 1
Stinkmuishond, African, 130
Stoat, 169
Stott, Ken, Jr.:
Northern fur seal ashore in San Diego, California, 258
Strecker, Robert L.:
(See Morrison, Peter R., et al.)
striatus, Ictonyx, 130
Tamias, 103, 357, 429, 585
Sturnira lilium parvidens, Mexico, 114
subflavus, Pipistrellus, 433, 434
subulatus, Myotis, 539
Sullivan, Edward G.:
Zapus hudsonius reported from Lee County, Alabama, 592
sumichrasti, Reithrodontomys, 74
Swimming:
Didelphis, 581
Eschrichtius, 596
Grampus, 123
Onychomys, 118
sylvaticus, Apodemus, 161
Sylvilagus (as food), 59, 111
audubonii, Calif., 46
bachmani, Calif., hab., par., 392
cunicularius cunicularius, Mexico, hab., 78
floridanus, Kan., hab., 47
floridanus mearnsi, Neb., gen., 429
**Synaptomys landesi**, Kan., orig. desc., foss., anat., 249
Synonymy:
Cebus, 415
Grampus, 124
Ictonyx, 130
Phenacomys, 260
Simia, 415

Tadarida mexicana, comp., 113; Mexico, hab., anat., 70
molossa, Calif., hab., distr., 435
Tail, Sorex, 109
tajacu, Tayassu, 102
Talpa caeca occidentalis, Spain, foss., syn., distr., 583
europaea, Spain, foss., syn., 583
Tamias striatus griseus, Neb., distr., 429; N. A., anat., 357
striatus lysteri, N. Y., hab., 103; N. A., anat., 357; R. I., gen., 585
Tamiasciurus hudsonicus, N. A., anat., 357

hudsonicus dixiensis, Utah, hab., gen., anat., tax., 87
hudsonicus fremonti, Utah, hab., anat., gen., tax., 87
hudsonicus loquax, N. H., hab., 252; N. Y., hab., 103
hudsonicus ventorum, hab., gen., anat., tax., 87
hudsonicus wasatchensis, syn., 91
Tate, G. H. H.:
On Cebus apella (Linnaeus) with a note on Cebus capucinus (Linnaeus), 415
Taxonomy:
Antrozous, 111
Artibeus, 68
Balantiopteryx, 66
Canis, 256
Cebus, 415
Chilonycteridae, 147
Condylura, 186
Cricetidae, 425
Dasypus, 78
Desmodontidae, 147
Dipodomys, 570
Emballonuridae, 147
Funambulus, 471
Geomyidae, 425
Glossophaga, 67
Heteromyidae, 425
Leptonycteris, 68
Liomys, 73
Microtus, 77, 587
Molossidae, 147
Molossus, 70
Muridae, 425
Natalidae, 147
Neotoma, 77
Oryzomys, 76
Parascalops, 186
Perognathus, 73, 95
Peromyscus, 74, 561
Rattus, 77
Ratufa, 471
Reithrodontomys, 74
Scalopus, 186
Scapanus, 195
Sciuridae, 425
Sorex, 66
Tamiasciurus, 90
Thomomys, 72
Vespertilionidae, 147
Tayassu tajacu, Mexico, hab., 102
Taylor, Walter P.:
Food habits and notes on life history of the ring-tailed cat in Texas, 55
Tayra, 102
Techniques:
census, 392
food habits study, 406
handling small mammals, 429
measuring ranges, 1
preventing ectoparasite contamination, 266
skeletal cleaning, 428
staining, 471
study of estrous cycle, 263
Teeth, Odocoileus, 456
Temperature:
Clethrionomys, 376
Dicrostonyx, 376
Microtus, 376
Mirounga, 211
Temperature regulation:
Microtus, 376
Dicrostonyx, 376
Clethrionomys, 376
Temperature effect:
Blarina, 40
Didelphis, 40
Tennessee, 177, 263
tereticaudus, Citellus, 357
Territoriality, Tamiasciurus, 252
Testes:
Funambulus, 471
Ratufa, 471
Tetonius, Colo., foss., distr., 581
Texas, 55, 239, 406, 418, 526
thibetanus, Ursus, 128
Thomomys umbrinus peregrinus, Mexico, tax., 72
umbrinus vulcanius, Mexico, 72
Till, C. E.:
White-tailed deer in Colorado, 269
Tiner, Jack D.:
The fraction of Peromyscus leucopus fatalities caused by raccoon ascarid larvae, 589
toltecus, Artibeus, 69
Tooth replacement:
Bison, 454
Choeronycteris, 437
torquata, Neotoma, 77
Torre, Luis de la:
Bats from southern Tamaulipas, Mexico, 113
townsendii, Scapanus, 195
Trapping:

Cratogeomys, 121
live, 177
Traps:
live rodents, 267
Procyon, 440
small mammals, 177
Travels, Callorhinus, 444
tridecemlineatus, Citellus, 105, 357, 545
Tromba, Francis G.:
Some parasites of the hoary bat Lasiurus cinereus (Beauvois), 253
truei, Peromyscus, 515
truncatus, Tursiops, 225
Tursiops truncatus, Fla., wt., hab., 225
Twinning, Peromyscus, 449
Tylomys nudicaudatus nudicaudatus, Mexico, wt., hab., anat., tax., 101
Type locality, Pizonyx, 83

umbrinus, Eutamias, 357
Thomomys, 72
undulatus, Citellus, 586
Urocyon cinereoargenteus, Tex., hab., 406
cinereoargenteus colimensis, Mexico, hab., 71
ursinus, Callorhinus, 258, 444
Ursus, Alaska, anat., 438
americanus, Canada, distr., hab., pelage, 345; Nev., distr., 577, 578; Penn., hab., phys., 28
arctos, Canada, distr., hab., pelage, 347
horribilis, Canada, hab., distr., pelage, 345
richardsoni, Canada, distr., hab., pelage, 345
thibetanus japonicus, Japan, hab., 128
Utah, 87, 117, 418

vagrans, Sorex, 66
Variation, Peromyscus, 367
variegatoides, Sciurus, 357
variegatus, Citellus, 71, 357
Vaughan, Terry A. and Philip H. Krutzsch:
Seasonal distribution of the hoary bat in southern California, 431
Velich, Ralph:
Notes on mammals from eastern Nebraska, 429
velifer, Myotis, 69
venom, Blarina, 425
Vermont, 452
Vespertilionidae, anat., 147
Virginia, 258
virginiana, Didelphis, 103, 105
virginianus, Odocoileus, 78, 129, 269, 456, 599
vison, Mustela, 496
vitulina, Phoca, 218
vivesi, Pizonyx, 81
Voice:
Bassariscus, 58
Grampus, 123
Sorex, 109
Tursiops, 225
volans, Glaucomys, 357, 429
Myotis, 434
Vole, 161, 450
Mexican, 77
phenacomys, 260
prairie, 45
tundra redback, 376
yellow-cheeked, 259
vomerina, Phocoena, 122
Vulpes fulva, Ind., wt., phys., anat., 504

Walker, Ernest P.:
The monkey book (Reviewed), 603
Wallmo, O. C. and Steve Gallizioli:
Status of the coati in Arizona, 48
Walrus, 203, 444
Wapiti, 578
Wasatchia, Colo., foss., distr., 581
Washington, 95, 448
Wassif, Kamal:
The bushy-tailed gerbil, Gerbillus calurus Thomas, of South Sinai, 243
Weasel, 169, 430
least, 594
Webb, Olin L.:
Perognathus nelsoni canescens in New Mexico, 453
Werner, Henry J.:
(See Dalquest, Walter W. and Werner)
Whale:
beaked, 124
gray, 444
Pacific gray, 596
Wilke, Ford:
Seals of northern Hokkaido, 218
Winter activity, Ursus, 28
Wisconsin, 254, 456
Wislocki, George B.:
Antlers in female deer, with a report of three cases in Odocoileus, 486
Wolf, 105
Wolverine, 254, 594
Wood, John E.:
Food habits of furbearers of the upland post oak region in Texas, 406

Wyoming, 418, 434, 453
Wyrick, Ralph F.:
Observations on the movements of the Pacific gray whale, Eschrichtius glaucus (Cope), 596

xanthognathus, Microtus, 259

Young:
Bassariscus, 56
Clethrionomys, 376
Cryptotis, 252
Myotis, 112, 432
Phoca, 218
Pizonyx, 86
Sorex, 109
Young, Stanley P.:
Black-footed ferret (Mustela nigripes) in South Dakota, 443
Yukon, 444

Zalophus californianus, Mexico, distr., 596
Zapus hudsonius, Ala., distr., hab., 592; Kan., hab., 42; Ohio, hab., wt., 121; Ohio, hab., 233
hudsonius hudsonius, N. Y., hab., 103
Zinn, Donald J.:
Albino chipmunks in Rhode Island, 585
Ziphiidae, 124